

Message

From: Ramanauskas, Peter [ramanauskas.peter@epa.gov]
Sent: 4/4/2019 3:23:43 PM
To: Mangino, Mario [mangino.mario@epa.gov]
Subject: RE: More information on Sky Valley 3.25.19

Thinking possible dust sampling locations along with poor housekeeping.

From: Mangino, Mario
Sent: Thursday, April 04, 2019 10:11 AM
To: Ramanauskas, Peter <ramanauskas.peter@epa.gov>
Subject: RE: More information on Sky Valley 3.25.19

It looks like they found one drum of remediation waste that contractors forgot to send for disposal. Do you think the photos of HVAC units and carpets are supposed to convey a message about chemical contamination ?

Mario

From: Ramanauskas, Peter
Sent: Thursday, April 04, 2019 9:40 AM
To: Mangino, Mario <mangino.mario@epa.gov>
Subject: FW: More information on Sky Valley 3.25.19
Importance: High

Hi Mario,

Here is some additional info we received from R10. There is some additional PCB data here collected by the litigant consultant. Kendall is trying to set up a call with the school to get additional info on the contents of a drum on-site. I believe there will also be a call with the consultant to better determine where their samples were collected (to my knowledge, the photos may not correspond to the sampling locations as they were not taken by the consultant doing the sampling).

R10 will be handling the dioxin/furan questions.

Let me know if you want to discuss anything.

Thanks,
Peter

From: Moore, Kendall
Sent: Tuesday, April 02, 2019 11:29 AM
To: Ramanauskas, Peter <ramanauskas.peter@epa.gov>
Subject: FW: More information on Sky Valley 3.25.19
Importance: High

From: Klevs, Mardi
Sent: Tuesday, April 02, 2019 8:05 AM
To: Suero, Maryann <suero.maryann@epa.gov>; Moore, Kendall <moore.kendall@epa.gov>; Star, David

<star.david@epa.gov>; Calvo, Estrella <calvo.estrella@epa.gov>; Arrazola, Ignacio <arrazola.ignacio@epa.gov>

Subject: FW: More information on Sky Valley 3.25.19

Importance: High

We have been requested by Region 10 to get involved with this school again. However, it's all about dioxins and furans,

Ex. 5 Deliberative Process (DP)

Nevertheless, there will be a 2 pm call with R10 today. Could you read the document and let me know what you think should be done?

Do not reach out to anyone in Region 10 or anyone else on this matter until Mike and Tinka have decided what they want to do about this.

Mardi Klevs
Chief, Chemicals Management Branch
Land and Chemicals Division
Region 5
U.S. Environmental Protection Agency
77 W. Jackson (LC-17J)
Chicago, IL
klevs.mardi@epa.gov
312-353-5490

From: Harris, Michael
Sent: Monday, April 1, 2019 4:08 PM
To: Hyde, Tinka <hyde.tinka@epa.gov>; Klevs, Mardi <klevs.mardi@epa.gov>
Subject: FW: More information on Sky Valley 3.25.19
Importance: High

Hi Tinka and Mardi,
Hopefully we can find time tomorrow to discuss this request from Region 10.

Michael D. Harris
Deputy Director
Land and Chemicals Division
U. S. Environmental Protection Agency, Region 5
77 West Jackson Blvd.
Chicago, IL 60604
(312) 886-0760

From: Kowalski, Edward
Sent: Friday, March 29, 2019 12:47 PM
To: Harris, Michael <harris.michael@epa.gov>
Subject: FW: More information on Sky Valley 3.25.19
Importance: High

Mike, Per my voicemail, some info about the PCB matter if called you about. Thanks--Ed

From: McArthur, Lisa
Sent: Monday, March 25, 2019 4:36 PM
To: Kowalski, Edward <Kowalski.Edward@epa.gov>; Davies, Lauris <Davies.Lauris@epa.gov>; Hamlin, Tim <Hamlin.Tim@epa.gov>; Hastings, Janis <Hastings.Janis@epa.gov>
Cc: Mullin, Michelle <Mullin.Michelle@epa.gov>; Ogle, Kimberly <Ogle.Kimberly@epa.gov>
Subject: More information on Sky Valley 3.25.19
Importance: High

Ed,

Michelle has shared with me **Ex. 5 Deliberative Process (DP)** Sky Valley School in Monroe. She is wondering **Ex. 5 Deliberative Process (DP)**
Ex. 5 Deliberative Process (DP)
Ex. 5 Deliberative Process (DP) Additional details are below, please let us know what you think,

Lisa

Lisa McArthur
Manager, RCRA Corrective Action, Permits and PCB Section
Land, Chemical and Redevelopment Division
Region 10, U.S. Environmental Protection Agency
1200 Sixth Avenue, Suite 155, MS 15-D13
Seattle, WA 98101-3123
(206) 553-1814

From: Mullin, Michelle
Sent: Monday, March 25, 2019 4:23 PM
To: McArthur, Lisa <McArthur.Lisa@epa.gov>
Subject: FW: Photos Sky Valley 3.25.19
Importance: High

Hello Lisa-
The Snohomish Health District visited the school today and collected photos (attached).
Some of the photos show PCB waste in storage in the school's transportation shed. Devlin Piplic told the Snohomish Health District inspector that these were the old PCB Fluorescent Light Ballasts.

Ex. 5 Deliberative Process (DP)

I asked Amanda if she thought that the Snohomish Health District would recommend air testing to the school. She said that since the letter from the plaintiffs (attached) was not addressed to SHD, but rather to EPA, WA DOH and WA Ecology they are waiting to see what the addressees tell the school to do first.

I think

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

I was also wondering if we need to have a written response to this letter? It was addressed to the RA as well as myself, and a woman named Tracy Enger of the indoor environments program at HQ.

Thank you,

Michelle Mullin | PCB Coordinator | pronouns: she, her
U.S. Environmental Protection Agency | Region 10
Office of Air and Waste | Ste 155
p: 206.553.1816 | mullin.michelle@epa.gov

From: Amanda Zych <azych@snohd.org>

Sent: Monday, March 25, 2019 3:45 PM

To: Bruce Straughn <bstraughn@snohd.org>; lauren.jenks@doh.wa.gov; Barbara.Morrissey@doh.wa.gov; Patrick, Glen (DOH) <Glen.Patrick@DOH.WA.GOV>; Sabel, Jennifer C (DOH) <Jennifer.Sabel@DOH.WA.GOV>; nancy.bernard@doh.wa.gov; Phillips, Todd J (DOH) <todd.phillips@doh.wa.gov>; Halvorson, Clark R (DOH) <Clark.Halvorson@DOH.WA.GOV>; Mullin, Michelle <Mullin.Michelle@epa.gov>; Smith, Marissa (ECY) <MASM461@ECY.WA.GOV>; beaudet@uw.edu

Cc: Jeff Ketchel <jketchel@snohd.org>; Mark Beatty <mbeatty@snohd.org>; Jeff Hutchison <jhutchison@snohd.org>

Subject: RE: Photos Sky Valley 3.25.19

Numbered the photos and added captions to help with discussion. Please disregard previous pdf.

Thank you,

Amanda

From: Bruce Straughn

Sent: Monday, March 25, 2019 3:16 PM

To: Jenks, Lauren (DOH) <Lauren.Jenks@DOH.WA.GOV>; Morrissey, Barbara (DOH) <Barbara.Morrissey@DOH.WA.GOV>; Patrick, Glen (DOH) <Glen.Patrick@DOH.WA.GOV>; Sabel, Jennifer C (DOH) <Jennifer.Sabel@DOH.WA.GOV>; Bernard, Nancy (DOH) <Nancy.Bernard@DOH.WA.GOV>; Phillips, Todd J (DOH) <todd.phillips@doh.wa.gov>; Halvorson, Clark R (DOH) <Clark.Halvorson@DOH.WA.GOV>; Mullin.Michelle@epa.gov; Smith, Marissa (ECY) <MASM461@ECY.WA.GOV>; beaudet@uw.edu

Cc: Amanda Zych <azych@snohd.org>; Jeff Ketchel <jketchel@snohd.org>; Mark Beatty <mbeatty@snohd.org>; Jeff Hutchison <jhutchison@snohd.org>

Subject: FW: Photos Sky Valley 3.25.19

All,

As follow-up to discussions last week, attached are photos taken this morning at Sky Valley in Monroe. Please contact Amanda Zych (email above) or at 425-339-8774 with any questions you may have.

Bruce

Bruce A Straughn, RS | Acting Director | Environmental Health Division

3020 Rucker Avenue, Ste 104 | Everett, WA 98201 | bstraughn@snohd.org
Direct 425-339-8767 | Environmental Health Main 425-339-5250



Public Health: Always working for a safer & healthier Snohomish County

NOTICE: All emails and attachments sent to and from the Snohomish Health District are public records and may be subject to disclosure pursuant to the Public Records Act (RCW 42.56).

From: Amanda Zych

Sent: Monday, March 25, 2019 9:59 AM

To: Jeff Ketchel <jketchel@snohd.org>; Bruce Straughn <bstraughn@snohd.org>; Jeff Hutchison <jhutchison@snohd.org>

Subject: Photos Sky Valley 3.25.19

PDF attached.

Amanda Zych, MS RS | Environmental Health Specialist | Environmental Health Division
3020 Rucker Avenue, Ste 104 | Everett, WA 98201
Desk 425-339-8774 | Cell 425-512-7604



Public Health: Always working for a safer & healthier Snohomish County

NOTICE: All emails and attachments sent to and from the Snohomish Health District are public records and may be subject to disclosure pursuant to the Public Records Act (RCW 42.56).